

NOTIFICATION OF INTENT TO DRILL A WATER WELL AND CERTIFICATION OF COMPLETION

H

Jerry E. Hughes 558/6302 Co. Rd 636, Chancellor 36316 8-12-02
 DRILLING CONTRACTOR License Number Address Zip Code Date
Pike Messick Rt 2 Doshen
 PROPERTY OWNER Address (mailing) Zip Code
Pike 10N 19E 34
 WELL LOCATION County Township Range Section 1/4 Section

Distance and direction from nearest town, community, road junction or other reference point

WELL TO BE USED FOR:

- ☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well ☐ Monitoring well
☐ Irrigation Other: _____

LOCATION OF WELL:

Latitude _____ Longitude _____ Diameter of well 4 inch Estimated depth 160 ft

8-14-02 Drilling Method: ☐ Cable tool
 Estimated starting date ☒ Rotary
☐ Jetted
☐ Bored
☐ Other: _____

Jerry E. Hughes
 SIGNATURE of Drilling Contractor

Total Depth 120 ft

Completion Date _____

Interval	Description of cuttings		Completion date: report depths below ground level																									
0-15	Clay	Pump	Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl <input type="checkbox"/> Other _____																									
15-37	Red Sand		Intake depth <u>80</u> H.P. <u>2</u> Yield <u>20</u> gpm																									
37-42	Yellow Clay	Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none																									
42-67	Sand		Measured Static Water Level <u>60</u> ft.																									
67-115	Limerock		Measured pumping level <u>80</u> ft. after _____ hrs. pumping _____ gpm																									
115-120	Sand	Finish	Development time prior to testing _____ hrs.																									
			<input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.																									
			Interval(s) screened: _____ to _____ ft.																									
		Casing	_____ to _____; _____ to _____ ft.																									
			Packer(s) set at _____ and _____ ft.																									
			Screen: diam. _____; Size openings _____																									
			<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td>0-69</td> <td>4</td> <td>PVC</td> <td>PVC</td> <td>20-0</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	0-69	4	PVC	PVC	20-0															
Interval cased	Diam. (Inches)		*Type pipe	*Type couplings	Interval grouted																							
0-69	4	PVC	PVC	20-0																								
		*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)																										
		Quality	Other: _____																									
			*Pipe: Black; PCV; Galv.; Other: _____																									
			Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.																									
			Signed Certification:																									
			<u>Jerry E. Hughes</u>																									

*For deeper well please attach continuation sheet.

Send WHITE copy to:
 ALABAMA GEOLOGICAL SURVEY
 P.O. BOX 869999
 TUSCALOOSA, AL 35486

Send YELLOW and PINK copies to:
 ADEM DRINKING WATER BRANCH
 P.O. BOX 301463
 MONTGOMERY, AL 36130-1463

Retain GOLD copy for your Records

REPORT OF DRILLED WELL

220

John D. Hughes & son 167 Rt one, Enterprise, Al. 36330 4-27-77
 DRILLING CONTRACTOR License Number Address Zip Code Date
 Paul M. Jones Rt. 2 Luverne, Al. 36049
 PROPERTY OWNER Address (mailing) Zip Code

WELL LOCATION Pike County 5 Section 10N Township 19E Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

4-28-77
 Estimated starting date

Drilling method: (check)

Cable tool
 Rotary ☒
 Jetted
 Bored

Other: _____

4"
 Diameter of well

200 ft.
 Estimated depth

Edgar Hughes
 SIGNATURE of Drilling Contractor

Total Depth 200 ft.Completion Date 5-12-77

Pump installed 12-7-77
 Completion date: report depths below ground level

Interval	Description of cuttings	Interval	Description of cuttings																					
10-10	sand			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input type="checkbox"/> Jet <input checked="" type="checkbox"/> Cyl.; Other: _____ Intake depth _____ H.P. <u>3/4</u> Yield _____ gpm																				
10-21	red clay																							
21-102	sand			Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>90</u> ft. Measured pumping level _____ ft. after _____ hrs. pumping _____ gpm Development time prior to testing _____ hrs.																				
102-103	rock																							
103-109	sand			Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: _____ to _____ ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. _____; Size openings _____																				
109-139	sand																							
139-168	limestone			Casing <table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td></td> <td>4"</td> <td>BLK</td> <td>T&C</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted		4"	BLK	T&C											
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings		Interval grouted																			
	4"	BLK	T&C																					
168-180	marl																							
180-200	sand																							
				Quality Water analysis obtained? (check) <input type="checkbox"/> No <input checked="" type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input checked="" type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: _____																				

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

135

DRILLING CONTRACTOR John D. Hughes & Son License Number 167 Address Rt. 1, Enterprise, Al. 36330 Zip Code 10-2-75
 PROPERTY OWNER Willie Wingard Address (mailing) Rt. 2, Goshen, Al. Zip Code 10N 19E
 WELL LOCATION Pike County 8 Section 10N Township 19E Range

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:



Irrigation

Other:

Drilling method: (check)

Cable tool
 Rotary ☒
 Jetted
 Bored

Other:

Diameter of well

Estimated depth

4" 400ft.
John D. Hughes & Son
By: Edgar Hughes
 SIGNATURE of Drilling Contractor

Total Depth 340ft.

Completion Date

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
0-15	red clay			Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth _____ H.P. _____ Yield _____ gpm
15-46	" sand			
46-65	yellow clay			Capacity Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level _____ ft. Measured pumping level _____ ft. after _____ hrs. pumping _____ gpm Development time prior to testing _____ hrs.
65-75	rock			
75-80	marl			Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: _____ to _____ ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. _____; Size openings _____
80-94	gray rock			
94-99	marl			Casing Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted 4" PVC *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____
99-101	gray rock			
101-110	" marl			
110-130	4. sand			
130-135	cl. clay			
135-140	Blue marl			
140-160	" "			
160-177	" "			
177-200	gray sand + marl in layers			
200-250	marl			
250-252	rock			
252-256	marl			
256-260	gray rock			
260-275	marl			
275-276	gray rock			
276-283	marl			
283-290	rock			
290-316	marl			
316-324	rock			
324-340	marl			
				Quality Water analysis obtained? (check) <input type="checkbox"/> No <input checked="" type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input checked="" type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed:

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

H
Edgar & Jerry Hughes 396 Rt. 1, Box 331, Chancellorsville, AL 36816 8-16-93
 DRILLING CONTRACTOR License Number Address Zip Code Date
David Henderson Rt. 4, Box 2630, Troy, AL 36081
 PROPERTY OWNER Address (mailing) Zip Code

WELL LOCATION **Pike** County **19** Section **10N** Township **19E** Range ---or---

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

8/18/93
 Estimated starting date

Drilling method: (check)

Cable tool
 Rotary ☒
 Jetted
 Bored

Other: _____

4" Diameter of well

340ft Estimated depth

Edgar Hughes
 SIGNATURE of Drilling Contractor

Total Depth **429 ft**

Completion Date **8-17-93**

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
0-15	SAND	355-380	gray SAND	Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth _____ H.P. 2 Yield 15 gpm
15-19	Clay			Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level 30.5 ft. Measured pumping level _____ ft. after _____ hrs. pumping _____ gpm Development time prior to testing _____ hrs.
19-35	SAND	380-429	Course gray SAND	
35-42	Clay			Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: 40 to _____ ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. _____; Size openings _____
42-58	SAND			
58-74	Clay	429	marl	Casing Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted 393 4 PVC PVC *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____
74-84	SAND + ROCK			
84-95	Clay			Quality Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: _____
95-140	SAND			
140-155	fine SAND			
155-195	SANDY marl			
195-200	ROCK + SAND			
200-245	SANDY marl			
245-255	Layers of SAND + ROCK			
255-272	marl			
272-275	ROCK			
275-280	SANDY marl			
280-282	ROCK			
282-350	SANDY marl			
350-355	hard gray ROCK			

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

104

John D. Hughes & Son 167, Rt. 1, Enterprise, Al. 36330 12/26/73
 DRILLING CONTRACTOR License Number Address Zip Code Date
 Sammy C. Rhodes Rt. one Goshen, Al. (C/o Leroy Stephens)
 PROPERTY OWNER Address (mailing) Zip Code

WELL LOCATION County Section 1/4 Section Township Range ---or:
 Pike 16 10N 19 E

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

12/26/73
 Estimated starting date

Drilling method: (check)

Cable tool
 Rotary ☒
 Jetted
 Bored

Other: _____

4 in
 Diameter of well

491 ft
 Estimated depth

Edgar Hughes
 SIGNATURE of Drilling Contractor

Total Depth 500 ft.

Completion Date 1-3-74

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level																									
0-15	Surface Clay	395-410	sandy Marl w. layers of rock	<input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.: Other: _____ Intake depth _____ H.P. _____ Yield _____ gpm																									
15-16	Hard yellow rock	410-421	Good Marl																										
16-20	red sand	421-425	hard gray rock	Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level 348 ft. Measured pumping level _____ ft. after _____ hrs. pumping 12 gpm Development time prior to testing _____ hrs.																									
20-25	yellow clay	425-460	sand w. thin rock																										
25-40	coarse sand	460-462	white rock	<input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: _____ to _____ ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. _____; Size openings _____																									
40-62	yellow clay	462-477	fine gray sand w. med. sand																										
62-75	sand	477-478	white rock	<table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td></td> <td>4 in</td> <td>BLK</td> <td>T+C.</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted		4 in	BLK	T+C.																
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings		Interval grouted																								
	4 in	BLK	T+C.																										
75-78	yellow clay	478-486	Med. coarse sand																										
78-93	yellow sand	486-500	Blue Marl	Water analysis obtained? (check) <input type="checkbox"/> No <input checked="" type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input checked="" type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: _____																									
93-95	light brown sandy clay																												
95-102	Blue clay																												
102-106	black pepper sand																												
106-110	gray Marl																												
110-121	sandy y. clay																												
121-125	Iron ore sand																												
125-127	rock + Marl																												
127-139	Coarse Gray Sand																												
139-161	Blue Marl																												
161-175	sandy Marl																												
175-200	sand with flaky Marl																												
200-223	Marl																												
223-240	sand w. flaky Marl																												
240-255	Marl																												
255-265	Marl																												
265-280	rock																												
280-297	sandy Marl with layers of rock																												
297-299	Hard white rock																												
299-325	sandy Marl with layers of thin rock																												
325-330	hard white rock																												
330-390	sandy Marl with thin layers of rock																												
390-395	Marl (good)																												

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

157

DRILLING CONTRACTOR English 146 E. 1st, Ada 36323 License Number 8-19-76 Address 2 Ansley, Ada Zip Code 73401 Date 5-18-76
 PROPERTY OWNER Pike 12 Address (mailing) 10N Zip Code 19E
 WELL LOCATION Pike 12 County Ada Section 12 1/4 Section 10N Township 19E Range 19E

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

Drilling method: (check)

☒ Cable tool
☐ Rotary
☐ Jetted
☐ Bored

Other: _____

Estimated starting date 5-18-76

Diameter of well 4"

Estimated depth 470'

SIGNATURE of Drilling Contractor English

Total Depth 470'

Completion Date 5-19-76

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
				Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
					Intake depth <u>276</u> H.P. <u>1</u> Yield <u>7</u> gpm				
				Capacity	Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
					Measured Static Water Level <u>255</u> ft.				
					Measured pumping level <u>260</u> ft. after <u>4</u> hrs. pumping <u>7</u> gpm				
					Development time prior to testing _____ hrs.				
				Finish	<input type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: _____ to _____ ft.				
					_____ to _____; _____ to _____ ft.				
					Packer(s) set at _____ and _____ ft.				
					Screen: diam. _____; Size openings _____				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					<u>274</u>	<u>4</u>	<u>Black T&C</u>	<u>T&C</u>	
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
				Quality	Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
					Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
					Signed: <u>English</u>				

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

49

English Well Drilling 146 Colby, Ala 36323 9-14-73
 DRILLING CONTRACTOR License Number Address Zip Code Date
K. O. Rye R. D. 2 Luverne, Ala
 PROPERTY OWNER Address (mailing) Zip Code
 WELL LOCATION *Pike* County *30* Section *10N* Township *19E* Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well
☐ Irrigation Other: _____

9-14-73

Estimated starting date

Drilling method: (check)

☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored
 Other: _____

4"
 Diameter of well

330'
 Estimated depth

Joy W. English
 SIGNATURE of Drilling Contractor

Total Depth *330'*

Completion Date *9-14-73*

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level																				
				Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth <i>216</i> H.P. <i>3/4</i> Yield <i>6</i> gpm																				
				Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <i>185</i> ft. Measured pumping level <i>190</i> ft. after <i>24</i> hrs. pumping <i>6</i> gpm Development time prior to testing _____ hrs.																				
				Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: _____ to _____ ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. _____; Size openings _____																				
				Casing <table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td><i>22.5</i></td> <td><i>4</i></td> <td><i>Black</i></td> <td><i>T & C</i></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	<i>22.5</i>	<i>4</i>	<i>Black</i>	<i>T & C</i>											
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted																				
<i>22.5</i>	<i>4</i>	<i>Black</i>	<i>T & C</i>																					
				Quality Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private Lab. Signed: <i>Joy W. English</i>																				

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

English 146 Tellog, Ala 36323 4-30-79

DRILLING CONTRACTOR License Number Address Zip Code Date

Schrester + Pontier, S. Potts, Rt 2 Ansley, Ala

PROPERTY OWNER Address (mailing) Zip Code

Pike 1 • 10N 19E

WELL LOCATION County Section 1/4 Section Township Range ---or:

WELL WILL BE USED FOR:

Public supply

**Industrial
supply**

Test well

☐ Irrigation

Other: _____

Drilling method: ~~Cable tool~~
(check) ~~Rotary~~
Jetted
Bored

Diameter of well

Estimated
depth.

SIGNATURE of Drilling Contractor

Completion Date 10/1/2010

Total Depth

Interval	Description of cuttings	Interval	Description of cuttings		Completion date: report depths below ground level
				Pump	Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
					Intake depth <u>402</u> H.P. <u>5</u> Yield _____ gpm
				Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
					Measured Static Water Level <u>380</u> ft.
					Measured pumping level <u>385</u> ft. after <u>46</u> hrs. pumping <u>5</u> gpm
					Development time prior to testing _____ hrs.
				Finish	<input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pack
					Interval(s) screened: _____ to _____
					_____ to _____; _____ to _____
					Packer(s) set at _____ and _____
					Screen: diam. _____; Size openings _____
				Casing	Interval cased <u>310</u> Diam. (Inches) <u>4</u> *Type pipe <u>BLK T+C</u> *Type couplings _____ Interval grouted _____
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
					Other: _____
					*Pipe: Black; PVC; Galv.; Other: _____
				Quality	Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
					Analysis by: <input type="checkbox"/> Ala. Geol. Surv. <input checked="" type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala. Health Dept. <input type="checkbox"/> Private lab.
					Signed: <u>John W. Jenkins</u>

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

75

English Well Drilling 146 Elba, Ala 36323 12-18-73
 DRILLING CONTRACTOR License Number Address Zip Code Date
Q. B. Harris #3 Troy, Ala
 PROPERTY OWNER Address (mailing) Zip Code
Pike 250 10N 19E
 WELL LOCATION County Section 1/4 Section Township Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

12-18-73

Estimated starting date

Drilling method: (check)

☒ Cable tool
☐ Rotary
☐ Jetted
☐ Bored

Other: _____

4" Diameter of well

170' Estimated depth

Joy W. English
 SIGNATURE of Drilling Contractor

Total Depth 170'

Completion Date 12-18-73

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
				Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
				Intake depth <u>130</u> H.P. <u>1/2</u> Yield <u>6</u> gpm
				Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
				Measured Static Water Level <u>110</u> ft.
				Measured pumping level <u>115</u> ft. after
				<u>2</u> hrs. pumping <u>6</u> gpm
				Development time prior to testing _____ hrs.
				Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.
				Interval(s) screened: _____ to _____ ft.
				_____ to _____; _____ to _____ ft.
				Packer(s) set at _____ and _____ ft.
				Screen: diam. _____; Size openings _____
				Casing Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted
				<u>154</u> <u>4</u> <u>Black</u> <u>T+C</u>
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
				Other: _____
				*Pipe: Black; PVC; Galv.; Other: _____
				Quality Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.
				Signed: <i>Joy W. English</i>

*For deeper well please attach continuation sheet.

GEOLOGICAL SURVEY
 STATE
 OIL AND GAS BOARD
 JAN 6 9 19 AM '74
 RECEIVED

English Well Drilling REPORT OF DRILLED WELL

DRILLING CONTRACTOR English Well Drilling License Number 146 Address 146 E. 36th St Zip Code 36323 Date 10-31-73

PROPERTY OWNER M. V. Messick Address (mailing) Rt 2 Cusley, Ala Zip Code 36323

WELL LOCATION Pike County 22 Section 10N Township 19E Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well

☐ Irrigation Other: _____

Estimated starting date 10-31-73 Drilling method: (check) ☒ Cable tool ☒ Rotary ☐ Jetted ☐ Bored Other: _____

Diameter of well 4" Estimated depth 350'

Joy W. English
SIGNATURE of Drilling Contractor

Completion Date 10-31-73

Total Depth 350'

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
				Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
				Intake depth <u>191</u> H.P. <u>3/4</u> Yield <u>6</u> gpm
				Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
				Measured Static Water Level <u>170</u> ft.
				Measured pumping level <u>175</u> ft. after
				<u>1</u> hrs. pumping <u>6</u> gpm
				Development time prior to testing _____ hrs.
				<input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.
				Interval(s) screened: _____ to _____ ft.
				_____ to _____ ; _____ to _____ ft.
				Packer(s) set at _____ and _____ ft.
				Screen: diam. _____ ; Size openings _____
				Interval cased <u>170</u> Diam. (inches) <u>4</u> *Type pipe <u>1 1/2" TC&W</u> *Type couplings <u>T+U</u> Interval grouted
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
				Other: _____
				*Pipe: Black; PVC; Galv.; Other: _____
				Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.
				Signed: <u>Joy W. English</u>

*For deeper well please attach continuation sheet.

GEOLOGICAL SURVEY
STATE
OIL AND GAS BOARD

Nov 14 9 08 AM '73

RECEIVED

REPORT OF DRILLED WELL

59

English Well Drilling 146 Eaba, Ala 36323 11-15-73
 Drilling Contractor License Number Address Zip Code Date
Thelma Sheppard Rt 2 Lurleen, Ala
 Property Owner Address (mailing) Zip Code
 Pike 21 10N 19E
 WELL LOCATION County Section 1/4 Section Township Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply
☐ Irrigation

☐ Public supply

☐ Industrial supply

☐ Test well

Other: _____

11-15-73

Estimated starting date

Drilling method: (check)

☐ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

4" Diameter of well

320' Estimated depth

Joy W. English
 SIGNATURE of Drilling Contractor

Total Depth 320'

Completion Date 11-15-73

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level										
				Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth 195 H.P. 1/2 Yield 6 gpm										
				Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level 165 ft. Measured pumping level 170 ft. after 3 hrs. pumping 6 gpm Development time prior to testing _____ hrs.										
				Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: _____ to _____ ft. _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. _____; Size openings _____										
				Casing <table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td>200</td> <td>4</td> <td>BLK</td> <td>T&C</td> <td></td> </tr> </tbody> </table>	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	200	4	BLK	T&C	
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted										
200	4	BLK	T&C											
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____										
				Quality Water analysis obtained? (check) <input type="checkbox"/> No <input checked="" type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input checked="" type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. Signed: <i>Joy W. English</i>										

GEOLOGICAL SURVEY
 STATE
 OIL AND GAS BOARD

DEC 6 9 16 AM '73

RECEIVED

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

58

English 146 Elba, Ala 36323 *3-14-75*

DRILLING CONTRACTOR License Number Address Zip Code Date

Elba Drymore Rt 2 Goshen, Ala

PROPERTY OWNER Address (mailing) Zip Code

Duke 26 • 10N 19-E

WELL LOCATION County Section 1/4 Section Township Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well

☐ Irrigation Other: _____

3-14-75

Estimated starting date

Drilling method: Cable tool
(check) ☒ Rotary
Jettied
Bored

Other: _____

4"
Diameter of well

430'
Estimated depth

Jeff W. English
SIGNATURE of Drilling Contractor

Total Depth *430'*

Completion Date *3-14-75*

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
				Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
				Intake depth <i>228</i> H.P. <i>3/4</i> Yield <i>6</i> gpm
				Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
				Measured Static Water Level <i>210</i> ft.
				Measured pumping level <i>215</i> ft. after
				<i>2</i> hrs. pumping <i>6</i> gpm
				Development time prior to testing _____ hrs.
				Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.
				Interval(s) screened: _____ to _____ ft.
				_____ to _____; _____ to _____ ft.
				Packer(s) set at _____ and _____ ft.
				Screen: diam. _____; Size openings _____
				Casing Interval cased <i>215</i> Diam. (Inches) <i>4</i> *Type pipe <i>pvc</i> *Type couplings Interval grouted
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
				Other: _____
				*Pipe: Black; PVC; Galv.; Other: _____
				Quality Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private Lab.
				Signed <i>Jeff W. English</i>

*For deeper well please attach continuation sheet.

Date

Zip Code

Range — — — or:

Test well

Other:

Other:

**Estimated
depth**

SIGNATURE of Drilling Contractor

Completion Date**Total Depth**

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
				Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
				Intake depth <u>110</u> H.P. <u>1/2</u> Yield <u>6</u> gpm
				Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
				Measured Static Water Level <u>90</u> ft.
				Measured pumping level <u>93</u> ft. after
				<u>1</u> hrs. pumping <u>6</u> gpm
				Development time prior to testing _____ hrs.
				Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.
				Interval(s) screened: _____ to _____ ft.
				_____ to _____; _____ to _____ ft.
				Packer(s) set at _____ and _____ ft.
				Screen: diam. _____; Size openings _____
				Casing
				Interval cased <u>115</u> Diam. (Inches) <u>4</u> *Type pipe <u>PVC</u>
				*Type couplings _____ Interval grouted _____
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
				Other: _____
				*Pipe: Black; PVC; Galv.; Other: _____
				Quality
				Water analysis <input checked="" type="checkbox"/> No obtained? (check) <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
				Analysis by: <input type="checkbox"/> Ala. Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala. Health Dept. <input type="checkbox"/> Private lab.
				Signed: <u>Forrest C. Curtis</u>

REPORT OF DRILLED WELL

Endish 146 Teela, Ala, 36323 4-23-81

DRILLING CONTRACTOR *Leithner Norman R 2 Heshun, Ala* License Number _____ Address _____ Zip Code _____ Date _____

PROPERTY OWNER *Fire* Address (mailing) *34* Zip Code _____

WELL LOCATION _____ County _____ Section _____ 1/4 Section _____ Township *10 N 19 E* Range ---or: _____

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

Drilling method: (check) ☒ Cable tool ☒ Rotary ☐ Jetted ☐ Bored

Other: _____

4"
Diameter of well

160'
Estimated depth

SIGNATURE of Drilling Contractor

Completion Date

Total Depth

160'

4-23-81

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
				Pump Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
				Intake depth <i>148</i> H.P. <i>1/2</i> Yield <i>5</i> gpm
				Capacity Tested by: <input checked="" type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
				Measured Static Water Level <i>125</i> ft.
				Measured pumping level <i>130</i> ft. after <i>2</i> hrs. pumping <i>5</i> gpm
				Development time prior to testing _____ hrs.
				Finish <input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.
				Interval(s) screened: _____ to _____ ft.
				_____ to _____; _____ to _____ ft.
				Packer(s) set at _____ and _____ ft.
				Screen: diam. _____; Size openings _____
				Casing Interval cased <i>150</i> Diam. (Inches) <i>4</i> *Type pipe <i>PVC</i> *Type couplings _____ Interval grouted _____
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
				Other: _____
				*Pipe: Black <i>PVC</i> Galv.; Other: _____
				Quality Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.
				Signature <i>Leithner Norman R</i>

*For deeper well please attach continuation sheet.

H

WELL TO BE USED FOR:

LOCATION OF WELL:

Latitude	Longitude	Diameter of well	Estimated depth
----------	-----------	------------------	-----------------

Drilling Method: ☐ Cable tool
☒ Rotary
☐ Jetted
☐ Bored
☐ Other:

Jerry E. Hughes
SIGNATURE of Drilling Contractor

Total Depth 220 ~~110~~ ft

Completion Date 12-05

Interval	Description of cuttings	Pump	Completion date: report depths below ground level				
0-13	Red Sandy Clay	Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl Other _____					
13-17	Sand	Intake depth <u>130 ft</u> H.P. <u>1 1/2</u> Yield _____ gpm					
17-28	Clay	Tested by: <input checked="" type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none					
28-58	Sand	Measured Static Water Level _____ ft.					
58-85	Soft Sandy Clay Yellow	Measured pumping level <u>130 ft</u> ft. after _____					
85-92	Sand	_____ hrs. pumping _____ gpm					
92-109	Clay	Development time prior to testing _____ hrs.					
109-117	Lime Stone	<input checked="" type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.					
117-130	Sand	Interval(s) screened: _____ to _____ ft.					
130-152	Clay	_____ to _____ ; _____ to _____ ft.					
152-157	Brown Sand	Packer(s) set at _____ and _____ ft.					
157-170	Gray Clay	Screen: diam. _____ ; Size openings _____					
170-220	White Sand	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	
		0-110	6	PVC	PVC		
		0-134	4	PVC	PVC	6-30	
		*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)					
		Other: _____					
		*Pipe: Black; PCV; Galv.; Other: _____					
		Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
		Analysis by:	<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
		Signed Certification:					

Send WHITE copy to:
ALABAMA GEOLOGICAL SURVEY
P.O. BOX 869999
TUSCALOOSA, AL 35486

**Send YELLOW and PINK copies to:
ADEM DRINKING WATER BRANCH
P.O. BOX 301463
MONTGOMERY, AL 36130-1463**

Retain GOLD copy for your Records